

FIG. 1




FIG. Z

UserLibrary:	a, b	<u>, c, o</u>	, ۳	- 1		-	+				\top					\perp			4-	_
		 	-	3	4	┼	5	6	7	1	8	9	1	10		\prod			\perp	
SubLibrary:		_	2	_3		×	٦,		X_	X_	7		X						\bot	_
a	<u></u> ×	- ×-	+-		 -	宀	1;		×	×	7		X						4	
b	X	 	4_		X_	+-	-+'	<u>`</u>	-	۳		(×						\perp	
С	×	×	×		×	+-		X X	 	×		K	X			\neg				
d	×	۰	4-			X			├	X	\rightarrow	<u></u> X	+			•			٦,	
e	×	X			×	X	+	<u> </u>		宀		<u> </u>	×		┝	-†		1	7	
1	×		×		_	_		<u>×</u>	↓	+-	-+		x		-	-+		 	7	•
g	x	×	X			×	_		↓	+			쑤		-	-		┼─	十	•
h	x	X			<u> x </u>	×	_	X	×	+		X	X		╁╌			+-	+	
ī	×	×			×	×	_		×	4-	_	<u>x</u>	ᅷ		╀	-		+-	+	
<u> </u>	×					×			-		_		+		╁	_		+-	+	
k	×							×	-	+		×	+		╁-			+-	-+	
		×	X	<u> </u>	<u>L</u> .	X		X	X	1			×		↓-			+-		
m		X	×			X		X	X	\perp		X	1		╀				{	
n			7	$\overline{}$					x	丄			×		1			4-		
<u>n</u>		_	—		_	×		x				X	X		L			1		
0		×	1		1-	1				\top		X)	(L		<u> </u>		_	
p	 	X	_		1	\top		x		1			\Box		m I					
q		×	+		_	×	Ξ	×		-		X	7	(
<u> </u>		Tx	+		+	×		_		-		x	7	(T					
<u>s</u>						+	·	1-	+-	+			1		1		1	\top		
i	-	-	2		4	2	2	-	1	3	1	 	0		1			1		
NeamessMet	nc:	0	4		-	4		 	┤-	+	`	1	+	_	+		1	\top		
						-+		 		\dashv		×	+		+		 	_		
NM=0	- X	-+-			+;-			K	- 		m	n	+	0	1	,	q	1		
ĪD		1 9	7	h	2	2	1		2	0		 " -	-+		₁/′	1		+	7-4	
Frequenciy		4			4	4		╁	4-	-		+	-+		╁		+	\neg		
						-		 				+	+		┿		+	+		•
NM<=1	×		_		4-			X			<u> </u>	×.		<u>x</u>	+		+	7		•
ID	f	g		h	1			k	1		m	п		0		2	9	0		
Frequenciy		3	2		3	3	1	1	3	2		2	1		3		2	4		
								↓_	_	_		1_			4			-		•
NM<=2	×	x 9			×		X	X			<u> </u>	×		X_	+		4_			
ID	f	9		h	1],	<u>i_</u>	k	1		m	n		0	-	2	9	-10		
Frequenciy		3	4		6	6		2	3	4	- 4	1	1		4		2	2		
															_			1		
NM<=3	X	×			x		X	X	×		X	X		X				\perp		
ID	1	9		h	1		j	k	1		m	n		0		Р9	9	- 1		
Frequenciy		3	4		7	7		2	3	5		5	2	l	4		3	2		

FIG. 3

70